

Subject Index

A

- AAI. *See* Adult Attachment Interview (AAI)
- AAQ. *See* Self-report measures, of attachment, adult attachment questionnaire (AAQ)
- AAS. *See* Self-report measures, of attachment, adult attachment scale (AAS)
- ACC. *See* Anterior cingulate cortex (ACC)
- Adult attachment, 40, 71, 73, 267
 - age differences, 199–201
 - cultural differences, 197–199
 - grand theory, 27
 - measurement, 103
 - Bartholomew's four attachment types, 106
 - Bartholomew's four category model, 104
 - individual differences, theoretical models of, 105
 - styles categorical/continuous, 107–108
 - relationship formation, 205–209
 - relationship length, 203–204
 - relationship maintenance, 210
 - relationship status, 202–203
 - sex differences, 194–196
 - shift to, 12–14
 - theoretical models of, 105
 - two-dimensional model, 115
- Adult Attachment Interview (AAI), 121
- Adult attachment relationship
 - adult attachment relationship time period, 44–45
- Adult attachment styles, 103, 129, 185, 212
 - breakups, 141
 - change in, 139
 - continuity/change, trait-state model of, 148
 - empirical test–retest correlations, 152
 - life events, meaning of, 143–144
 - major life transitions, 139
 - prototype model of, 148
 - rank-order stability, 129
 - security, test–retest correlations for, 149
 - stability, 133, 145
 - of attachment, 153
 - stable vulnerability factors, 144
 - test–retest correlations, 149, 150, 152
 - therapy, 144
 - trait-state models of, 147–152
 - Waddington's epigenetic landscape, 132
 - war-related trauma, 142
- Adult attachment theory, 55
- Adulthood
 - attachment patterns, 16
 - attachment styles. *See* Attachment styles, in adulthood
- Adult romantic attachment, 55
- Adult romantic relationships
 - attachment bonds, 51–52
- Affiliation behavioral systems, 187
- Age differences, in adult attachment, 199–201
- Aggression, 190
- Ainsworth, Mary, 31, 35, 193
 - studies, 60
- Analysis, multiple levels of, 27–28
- Animal models, 232
 - to study bonding, attachment, and close relationships, 232–233
- ANQ. *See* Attachment Network Questionnaire (ANQ)
- Anterior cingulate cortex (ACC), 222
- Anterior temporal pole (ATP), 223
- Anxiety, 119, 227
 - and avoidance, 36, 41, 48, 109, 110, 142, 144
- Anxious-avoidant, 14
- Anxious-resistant children, 54
- Anxious response, 165
- Approach–avoidance conflict, 19
- ASQ. *See* Self-report measures, of attachment, Attachment style questionnaire (ASQ)
- ASQ-SF. *See* Self-report measures, of attachment, Attachment style questionnaire-short form (ASQ-SF)

ATP. *See* Anterior temporal pole (ATP)
 Attachment. *See specific attachment*
 Attachment anxiety, 15, 16, 41, 44, 45, 88, 91,
 93, 97, 164, 188, 202, 208, 211,
 217, 226, 229
 clients, 260
 individuals, 213
 behaviors of, 206
 Attachment avoidance, 15, 16, 85, 201, 202,
 212
 insecure, 10
 Attachment-based psychotherapy, 262
 Attachment behavioral system, 8, 22, 169
 Attachment bonds, 31
 adult romantic relationships, 51–52
 Attachment development
 individual differences. *See* Individual
 differences
 Attachment dimensions
 interaction between, 116–119
 orthogonality, 120–121
 Attachment dynamics, 205
 Attachment figures
 primary, 34, 56
 secondary, 56
 security-promoting figure, 264
 Attachment-focused (AF) group therapy,
 262–263
 Attachment functions, 37
 Attachment hierarchy, 46, 56
 Attachment insecurity, 240, 261
 risk factor for mental health problems, 242
 Attachment-in-the-making phase, 33
 Attachment Network Questionnaire (ANQ), 40
 Attachment neuroscience, 221, 233
 basal ganglia, 228
 brain volume, 227–229
 EEG, 226
 fMRI, 222–225
 laterality, 227
 micro- and macrolevels, 238
 physiological correlates, 229
 thought suppression, 223
 Attachment priming, 165–166
 Attachment psychotherapy, 262
 Attachment-related memories, 78
 Attachment-related processes, 199
 Attachment relationships, 31, 40
 attachment figure, 40
 god as attachment figure, 49–50
 other attachment figures, 50–51
 dysfunctional attachment, 57–58
 primary attachment figure in childhood,
 33–34

attachment functions
 at different points in life course, 39
 attachment transference
 in adulthood, 38–39
 in children and adolescents, 35–37
 in early adulthood, 37–38
 empirical research, in children/
 adolescents, 35–37
 transferred from one person to another, 35
 Attachment security, 168, 182, 272
 enhancement, 182
 people's sense, of attachment security
 in short term in laboratory, 162
 Attachment, self-report measures
 experiences in close relationships (ECR),
 123
 Attachment styles, 15, 161, 165–166, 210
 chronic, 161
 mating strategies, 269
 person's, 179
 Attachment system, 7
 activation, 180–181
 Attachment theory, 2–3, 257, 260, 262
 Attachment therapy, 262
 Attachment working models, 11, 77, 138
 hierarchical conceptualization of, 82

B

Behavioral genetic methods, 230
 Behavioral systems, 51, 169, 170, 183
 affiliation behavioral system, 187–188
 caregiving, dominance, and sex systems,
 185
 cognitive operations of, 171
 developmental course of, 176
 exploration, 186
 health, 189–190
 hyperactivating/deactivating, 171
 interplay between, 174
 morality, 189
 power, 189
 set point for, 171
 sex, 173, 184
 triggers, 170
 Bowlby, John, 5, 7, 20, 32, 33, 197, 256
 monotropy idea, 41

C

Caregiving system, 39, 176. *See also*
 Behavioral systems
 activation of, 180–181, 234
 Caring behavior, 177
 Casual sexual encounters, 194

CAT. *See* Computerized axial tomography (CAT)

Catechol-O-methyltransferase (COMT), 237

Close friendships, 64

Cognitive-behavioral therapies, 257

Cognitive flexibility, 181

Cognitive processes, 222

Coherence of discourse, 121

Computerized axial tomography (CAT), 221

Computerized tomography (CT), 221

COMT. *See* Catechol-O-methyltransferase (COMT)

Conflict-centered communication, 204

Contextual factors, in attachment, 193
sex differences, in adult attachment, 194–196

Control systems, 21–23

Correspondence hypothesis, 50

Couples, 172, 173

Cross-cultural differences, in adult attachment, 197–199

D

Deactivating strategies, 25

Detachment, 6, 48

Developmental neoteny hypothesis, 52

Dialectic-behavioral therapies, 257

Dismissing-avoidance, 105, 197

Disorganized/disoriented attachment, 10

Dopamine receptor gene, 228

Dopaminergic system, 233

E

ECR. *See* Experiences in close relationships (ECR)

ECR-RS. *See* Experiences in close relationships, relationship structures (ECR-RS)

EEG. *See* Electroencephalography (EEG)

EFT. *See* Emotionally Focused Couple Therapy (EFT)

Electroencephalography (EEG), 221

Emotionally Focused Couple Therapy (EFT), 264–265

Endocrinology, 219

Epigenetic landscape, 131

ERPs. *See* Event-related potential (ERPs)

Ethology, problem of instinct, 19–21

European-American cultures, 197

Event-related potential (ERPs), 226

Evolutionary-based theories, 185

Evolutionary psychology, 194

Expected symptoms, 114

F

Fearful avoidance, 15, 105

Felt security, 8, 171

fMRI. *See* Functional magnetic resonance imaging (fMRI)

FQQ. *See* Friendship Quality Questionnaire (FQQ)

Friendship Quality Questionnaire (FQQ), 75

Full-blown attachment, 33

Functional magnetic resonance imaging (fMRI), 221

G

Game playing, 210

Gender differences, social-developmental accounts of, 196

Genes, 230

Glucose, 168

Goal-directed behavior, 25

Goals, relationship maintenance mechanisms, 211

God, in Christian tradition, 55

H

Hippocampus, 227

Hispanic cultures, 197

Hormones, 230

HPA axis system. *See* Hypothalamic-pituitary-adrenocortical (HPA) axis system

5-HTTLPR allele, 231

Hyperactivating strategies, 25

Hypothalamic-pituitary-adrenocortical (HPA) axis system, 229

I

Immunology, 219

Individual differences, 59
adult attachment patterns, 66
caregiving environment, quality of the, 71–73
friendship relationships, 74–75
predictability across time, 67
social competence, 73–74
attachment experiences for social and personality development, 62

Information theory, 21–23

Initial preattachment phase, 32

Insecure attachment, self-reports of, 43

Insecure-resistant, 10
 Insecurity, 178, 186
 Internal working models (IWMs), 11, 77, 161, 171, 222
 attachment working models
 defined, 77–78
 hierarchical organization, empirical support for, 98–100
 connectionist approach to structure, 83
 hierarchical approach to structure, 80–82
 memories
 affective content of, 90
 beliefs/attitudes/expectations, 92–93
 building blocks of, 89
 encoding and retrieval, 91–92
 goals/needs, 93–94
 plans/strategies, 94–97
 Interpersonal behaviors, 137
 Interview-based methods, for assessing attachment, 144
 Interview-self-report correspondence, 121–123
 Intimacy, 204
 9/11, in United States, 172
 IRT. *See* Item response theory (IRT)
 Item response theory (IRT), 124

L

Late positive potential (LPP), 226
 Life strategy, 195
 Life-stress model, 256
 LPP. *See* Late positive potential (LPP)

M

Maintenance mechanisms
 social support, relationship, 213
 Maternal depression, 71
 Mean-level stability, 130
 Mediation models, 65
 Meehl's techniques, 107
 Mental health problems
 adult attachment, factors linking, 252
 emotion regulation, 253–254
 interpersonal relations, 254–255
 self-representations, 253
 affective disorders, 242–244
 attachment insecurity, risk factor for, 242
 eating disorders, 247–250
 personality disorders, 250–251
 posttraumatic stress disorder, 244–247
 trauma symptoms, 244–247
 Mental representations, 159, 171

Mental resources, 181
 Metaanalysis, attachment priming effects trust, 166–167
 Metaanalytic study, 261
 Minnesota Longitudinal Study of Risk and Adaptation (MLRSA), 65
 MIO. *See* Mommy and I are one (MIO)
 Model of other, 87
 perceptions, 87
 Model of self, 84
 attributions, 86
 self-esteem/self-efficacy, 84–86
 self-verification, 87
 Molecular genetic methods, 230, 231
 Mommy and I are one (MIO), 163
 Monotropy, 34
 Mood induction, 88
 Motivation, 192, 235

N

Near infrared spectroscopy (NIRS), 221
 Neural systems/processes, 221
 Neuroimaging methods, 223
 Neuroimaging studies, 222
 Neuroscience, 219, 240
 of attachment, 221
 defined, 219
 tools, methods, and techniques, 221
 Neurotransmitters, 225, 230
 blood/saliva levels of, 230
 NIRS. *See* Near infrared spectroscopy (NIRS)
 Nucleus accumbens, 225

O

OFC. *See* Orbitofrontal cortex (OFC)
 Orbitofrontal cortex (OFC), 224, 234
 Organizational perspective, 65
 Oxytocin (OXTR), 231, 232, 237
 single-nucleotide polymorphisms (SNPs), 231

P

Pair-bonded species, 174
 Parahippocampus, 225
 Parental relationships, 155
 Parent–Child Interaction Therapy, 262
 Parenting, 140
 Partner-specific attachment styles, 138
 Paternal care hypothesis, 51
 Personal distress, 182
 Personality, 192

Person perception, 135
 PET. *See* Positron emission tomography (PET)
 PFC. *See* Prefrontal cortex (PFC)
 Phylogeny, 27
 Physical/mental health benefits, 202
 Polymorphisms, 230
 Positron emission tomography (PET), 221
 Potential activating triggers, 172
 Prefrontal cortex (PFC), 222
 Priming manipulations, 160
 Prototype hypothesis, 69
 Prototype model, 148
 Proximity seeking
 maintenance, 39
 vs. avoidance, 16
 Psychoanalysis
 departure from, 17–19
 psychodynamic processes, 132,
 169, 257
 psychological adaptation, 29–30
 psychophysiology, 220
 PTSD symptoms, 142

R

Rank-order stability, 129, 130, 154
 Relational schemas, 160
 Relationship
 attachment, 31
 beliefs, 263
 dissolution, 216–217
 maintenance mechanisms, 211
 maintenance processes, 214
 neuroscience, 219
 satisfaction, 204
 Relationship skills (RS), 263
 7-Repeat allele, 231
 Romantic relationships, 210, 211, 216
 RS. *See* Relationship skills (RS)
 RSQ. *See* Relationship scales questionnaire (RSQ)

S

Scaffolding, 69
 SCC. *See* Subgenual cingulate cortex (SCC)
 SECCYD. *See* Study of Early Child Care
 and Youth Development
 (SECCYD)
 Secure attachment style, 162
 Secure-base functions, 37
 Secure-base script, 95, 96
 Securely attached individuals, 214, 217
 Secure romantic partners, 209

Security, 178
 enhancing environment, 258
 in the two-dimensional framework,
 112–113
 Security priming
 long-term effects of
 priming effects, 163–165
 physiological/neural mechanisms, 167–168
 Self-competence, 260
 Self-defeating attributions, 86
 Self-disclosure, 94, 206
 Self-presentation, 207
 Self-protective response, 214
 Self-report measures, of attachment, 123, 261
 adult attachment questionnaire (AAQ), 124
 adult attachment scale (AAS), 108
 attachment style questionnaire (ASQ), 125
 attachment style questionnaire-short form
 (ASQ-SF), 125
 experiences in close relationships
 (ECR), 123
 experiences in close relationships
 relationship structures
 (ECR-RS), 100, 125
 experiences in close relationships, revised
 (ECR-R), 124
 relationship questionnaire (RQ), 42, 105
 relationship scales questionnaire
 (RSQ), 124
 state adult attachment measure
 (SAAM), 125
 Self-sufficiency, 11
 Self-transcendence values, 182
 Semantic priming, 163
 Sensitive responsiveness, 60, 61
 Separation distress, 39
 Serotonin (5HT), 231, 237
 Servomechanism, 24
 Sex differences, 194
 in adult attachment, 194–196
 in attachment insecurity, 196
 Sexual attraction, 176
 Sexual satisfaction, 183
 Short-term relationship orientation, 194
 Social behavior, 192, 231, 235
 Social cognition, 159
 affective neuroscience, 219
 model, 151, 256
 of attachment styles, 146
 priming methods
 attachment-related schemas, 161–162
 Social competence, 62, 73
 Social desirability bias, 160

Social-developmental perspective, 196
Social exploration, 186
Social-structural changes, 140
Stability, in adult attachment styles, 133
 attributional processes/confirmation bias,
 134–135
 environmental/relational processes, 138
 intrapsychic processes, 134
 selection/attraction processes, 137–138
 transference processes, 136–137
Strange situation, 9, 178
Strategies
 primary vs. secondary, 25
Stress, 162
Study of Early Child Care and Youth
 Development (SECCYD), 67
Subgenual cingulate cortex (SCC), 222
Supraliminal priming technique, 164

T

Test–retest correlation, 129
Test–retest intervals, 149
Therapeutic outcomes, 256
The Year of Magical Thinking, 2

TMS. *See* Transcranial magnetic stimulation
 (TMS)
Transcranial magnetic stimulation (TMS),
 221, 224
Transference, 136
Trust, 204
Trustworthy, 135

U

Uncommitted sexual encounters, 194

V

Volunteering activities, 181
Vulnerabilities, 258

W

Waddington's illustration, 131, 132
Well-being, 29–30
WHOTO questions, 36
Withdrawal-type emotion regulation strategies,
 227
Working models, 159