

Subject Index

Note: Page numbers followed by “*f*” and “*t*” refer to figures and tables, respectively

A

- Acculturation, 324
- Achieving stage, 7–8
- Activities of daily living (ADL), 44–45, 129, 366–367, 370, 374, 411, 413–414, 418
- Activity engagement interventions, 229–233
 - casual gaming interventions, 230–231
 - computerized training, 229–230
 - MCI training, 231–233
- Adaptive training, 224–227
- Adjustment process, 350
- Adult development and aging, 15
 - emerging methodological trends for
 - aging studies, 32–36
 - coordinated analysis with replication, 33–34
 - data harmonization, 33
 - intraindividual variability approach, 34–36
 - mega-analysis, 32–33
 - meta-analysis, 32
 - longitudinal designs
 - cross-sectional versus, 16–19
 - key threats to validity of, 21–27
 - subtypes, 19–21
 - modeling change in aging studies, 27–32
 - correlated change, 29
 - coupled change, 29
 - generalized linear mixed effects models, 28–29
 - multilevel and latent growth curve approaches, 27–28
 - parameterizations of developmental time, 29–32
 - survival models, 28–29
 - research designs and sampling considerations for, 16–21
- Adulthood, 6–8
 - cognitive and brain function in, 188
 - cognitive training in. *See* Cognitive training in later adulthood
 - emotion theory and mood congruence in, 280–282
 - general cognitive ability in, 126
 - human plasticity in. *See* Plasticity, in adulthood
 - mood-congruent effects on cognition, 285–289
 - personality development in, 212
 - physical strength in, 129
 - socioemotional development across, 324
- Advanced sleep phase disorder (ASPD), 431, 437–438
- Aerobic exercise, 189–191
 - and cognitive function, 192
 - on functional MRI patterns, 194
 - and memory performance, 192
 - randomized trials of, on cognition, 190–192
- Age as a moderator
 - full role of age on linkages between personality and health, 212
 - of linkages between personality traits and health, 211–212
 - of personality traits, 210–211
- Age differences
 - versus change, 17
 - in default network, 153
 - in emotion–memory interactions, 154–155
 - in flexibility, 114*f*
 - in memory, 149, 152–154
 - in mood–cognition linkage, 295–296
 - in personality, 326–328
 - in social relationships, 328–329
- Age-as-time parameterization, 30–31
- Ageism, 4
- Age-related change
 - in brain structures, 127, 252–253
 - practice on trajectories of, 22–23
 - in well-being, 265
- Age-related hearing loss, 166–171
 - audition, 167
 - broader issues of, 180–181
 - types, 168–170
 - central processing deficits, 169
 - conductive, 168
 - sensorineural, 168–169
 - variability in, 169–170
- Aggregation bias, 18–19
- Aging parent, primary caregivers for, 347–348
- Aging studies
 - emerging methodological trends for, 32–36
 - coordinated analysis with replication, 33–34
 - data harmonization, 33
 - intraindividual variability approach, 34–36
 - mega-analysis, 32–33
 - meta-analysis, 32
 - modeling change in, 27–32
 - correlated and coupled change, 29
 - generalized linear mixed effects models, 28–29
 - multilevel and latent growth curve approaches, 27–28
 - parameterizations of developmental time, 29–32
 - statistical models for change, 27–29
 - survival models, 28–29
- Aging-related change, study of, 17–18
- Agreeableness, 285, 309
- Agricultural technology, 390–391
- ALDH2* gene, 133–134

- Alzheimer's disease (AD), 6, 47–48, 88, 125–126, 210, 341, 363–364
- brain imaging as a surrogate biomarker, 233–234
- financial capacity
- longitudinal change, in patients with mild AD, 373–374
 - in patients with mild and moderate AD, 372–374
- MCI training, 231
- modifiers of transition to, 96–99
- depletion factors, 97–98
 - enrichment factors, 98
 - new directions, 98–99
- neuroimaging studies of financial capacity in AD, 377–378
- physical activities and, 189–190
- preclinical AD, model of, 92–93
- Alzheimer's-type dementia, 416–417
- American Baby Boomer, 44
- American Bar Association, 379
- American Psychological Association, 379, 442
- Amnesic MCI (aMCI), 374–375, 377–378
- neuroimaging studies of financial capacity in, 377–378
- Amyloid deposition, 87
- amyloid imaging, 89–90
- and cognitive decline, 95–96
- amyloid, neurodegeneration, and cognitive decline, 96
 - amyloid and episodic memory, 95
 - impact of amyloid on other cognitive domains, 95–96
- cognitive transitions, models of, 90–93
- preclinical AD, model of, 92–93
- Scaffolding Theory of Aging and Cognition (STAC) model, 90–91
- modifiers of transition to AD, 96–99
- depletion factors, 97–98
 - enrichment factors, 98
 - new directions, 98–99
- and neurodegeneration, relationship between, 93–95
- neuronal dysfunction, 93–94
 - neuronal loss, 94–95
- Amyloid precursor (APP) protein, 132
- Amyloid-associated depression, 413
- Amyloid-precursor protein (APP), 89
- Anosognosia, 370
- Antidepressant medications, 419
- Anxiety, 380
- mood congruence effects in, 287–289
- Anxiety disorders, late-life, 416–417
- epidemiology of, 416
 - risk factors for, 416–417
- Anxious cognitive biases, 287
- Anxious mood and congruent cognition in older adults, 293–295
- Apnea-hypopnea index (AHI), 431–432
- APOE e4 carriers, 195
- APOE gene, 97
- APOE e4 allele, 97–98, 132, 135–136
- Apolipoprotein E (APOE), 97, 132, 134, 138, 195
- Arthritis, financial capacity and, 380
- Asset and Health Dynamics among the Oldest Old (AHEAD), 412
- Associational memory, 152–153
- Attachment theory of bereavement, 486–487
- Attention training, 225, 237, 297–298
- Attentional biases, 294–295
- in anxiety, 288–289
 - memory and, 287–289
- Attrition, 21
- Audition and language
- comprehension, 165
 - age-related hearing loss, 167–171
 - audition, 167
 - broader issues of, 180–181
 - central processing deficits, 169
 - conductive hearing loss, 168
 - sensorineural hearing loss, 168–169
 - speech in noise, 170–171
 - variability in, 169–170
- linguistic knowledge, compensation through, 171–179
- at sentence level, 175–179
 - word recognition, effects of age and hearing acuity on, 171–175
- perceptual effort, downstream effects of, 179–180
- speech comprehension, challenges for, 166–167
- Auditory brainstem reflex (ABR), 168
- Auditory evoked potentials (AEPs), 168
- Australian Longitudinal Study of Ageing (ALSA), 305
- Auxiliary variables, 25–26
- ## B
- Baby Boomers, 47, 52, 54–55, 271, 312–313, 316
- BDNF* gene, 134–135
- Behavioral physical functioning, 128–129
- Behavioral problems in PWD, 448, 464–466
- Behavioral-based cognitive training, 220
- Belongingness, 325
- Bereavement, 415–416, 483–484
- attachment theory of, 486–487
 - bereavement exclusion, 415–416
- Berlin Aging Study (BASE), 305–307
- Big Five traits, 208, 308–310, 327
- Biomedical model, 476–478
- Birth cohorts, 305
- Bitnet, 398
- Black-White differences in depression, 412
- Blessed Dementia Scale, 370
- Blood-oxygen level-dependent (BOLD) signal, 377
- BMW, 53
- Brain activation, effects on training for, 234–235
- Brain aging and memory, 148–149
- Brain and/or cognitive enhancement, 155–156
- Brain atrophies, 192
- Brain changes, training-induced, 235–237
- “Brain fitness” games, 396–397
- Brain imaging, 233
- to identify structural plasticity, 234–235
 - as a surrogate biomarker, 233–234
- Brain magnetic resonance imaging (MRI) studies, 410
- Brain plasticity, 188
- Brain structures, 131–132
- specific genes important to cognitive and physical aging, 131–132
- Brain-derived neurotrophic factor (*BDNF*), 133–135
- Bridge employment, 350–351, 353
- ## C
- Cardiovascular disease, dementia, and depression
- inter-relationship between, 412–413
- Cardiovascular indicators and personality traits, 209–210

- Caregivers, primary
for an aging parent, 347–348
- Caregiving, 55, 57
multiple caregiving roles, 348
- Casual games, 395–396
- Casual gaming interventions, 229–231
- Categorization, cultural differences in, 331–332
- Central processing deficits, 169
- Central sleep apnea versus obstructive sleep apnea (OSA), 439
- Change, age differences versus, 17
- Changing Lives of Older Couples (CLOC) study, 415, 484, 486
- Childbearing, 54
- Childcare responsibilities, 348
- Childlessness, 55, 312–313
- Chronological age, 30–31
- Chronotherapy, 438
- Civil engineering technology, 390–391
- Clinical interview assessment of financial capacity, 372
- Clinical levels of mood, 280
- Cocktail party problem, 170–171
- Co-constructive theory, 9–10
- Co-existing mood and anxiety disorders, 417
characteristics of, 417
epidemiology of, 417
- Cognition
age-related, 329–331
effects of menopause and hormone levels on, 68–77
health factors related to, 196
and menstrual cycle, 66–67
mood-congruent, 280–289
randomized trials of aerobic exercise on, 190–192
resistance training on, 191–192
Scaffolding Theory of Aging and Cognition (STAC) model, 90–91
Schaie and Willis' stage theory of, 7–9
spousal interrelations and, 268–269
- Cognition-physical functioning dynamics, gene pathways underlying, 134–135
- Cognitive abilities
and casual video games, 230–231
general, 126
specific, 127
- Cognitive aging, 132–133
and disorders of aging, 364–365
executive deficit theories of. *See* Executive deficit theories of cognitive aging
in men
testosterone and, 77–79
neuroimaging studies of, 151–152
normal cognitive aging, 364
work and, 340–341
- Cognitive and physical aging, 125
brain structures, 131–132
future directions, 138–139
genetic influences on environmental sensitivity, 135–138
biomarkers of GE interplay, 136–137
telomere length, 137–138
interrelationships between, 130–131
specific genes important to, 131–132
- Cognitive bias modification, 297
- Cognitive control, 113, 152
- Cognitive cost, 399–400
- Cognitive decline, 4, 31
age-related, 187–188
reducing the risk for, 188
- amyloid, neurodegeneration, and, 96
amyloid deposition and, 95–96
- Cognitive disorders of aging, 363–364
- Cognitive function, 126–128
environmental influences, 127–128
general cognitive ability, 126
in the oldest old, 306–308
heterogeneity of cognitive functioning in the oldest old, 307–308
level versus change in cognition and survival, 306–307
specific cognitive abilities, 127
- Cognitive planning for retirement, 349
- Cognitive pragmatics, cultural differences in, 331
- Cognitive training in later adulthood, 219
activity engagement interventions, 229–233
casual gaming interventions, 230–231
computerized training, 229–230
MCI training, 231–233
behavioral interventions and behavioral outcomes, 221–229
component-specific and variable priority training, 224–226
multi-domain training, 228–229
strategy training, 221–224
whole task practice training, 226–228
- compensatory perspective, 221
magnification perspective, 220
neural mechanisms and outcomes, 233–239
brain imaging as a surrogate biomarker, 233–234
brain imaging to identify structural plasticity, 234–235
models of training-induced brain changes, 235–237
neuroimaging as a predictor of training response, 237–239
theoretical perspectives and assumptions on, 220–221
- Cognitive transitions, models of, 90–93
preclinical AD, model of, 92–93
Scaffolding Theory of Aging and Cognition (STAC) model, 90–91
- Cognitive-behavioral interventions, 297
- Cognitive-behavioral therapy (CBT), 285, 296–297
- Cognitive-behavioral therapy for insomnia (CBT-I), 436, 440
and hypnotic reduction, 436–437
- Cognitively normal older adults, 229–230, 373–374
neuroimaging studies of financial decision making in, 378
- Commonwealth-Cummings project, 481–482
- Community Living Centers (CLCs), 464–465
- Comorbid apnea and insomnia, treatment for, 441
- Comorbid insomnia, treatment for, 440–441
- Compensatory scaffolding, 90–91, 236, 255–256
- Complex syntax, 175, 177
- Component-specific training, 224–226
speed of processing, 225–226
variable priority training, 225
- Comprehension and recall at the sentence level, 175–179
compensatory support from speech prosody, 179
support from other sensory cues, 179

- Compromised memory, individuals with, 307
- Computer use, 391–392, 397–400
- Computerized training, 229–230
- Computer-to-computer communication protocols, 397–398
- Conductive hearing loss, 168
- Conjugated equine estrogen (CEE), 72–73
- Conscientiousness, 208–212, 308
- Contemporary oldest old, 304–305
- Contingent work arrangements, 346
- Continuous positive airway pressure (CPAP), 439–441
- Coping, models of, 482
- Correlated change, 29
- Correlation coefficient, 325–326
- Country-level individualism, 329
- Country-level socio-cultural variables, 332
- Coupled change, 29
- C-reactive protein (CRP), 208
- Cross-cultural psychology of aging, 323–324
- age differences
- in personality, 326–328
- in social relationships, 328–329
- age-related cognition, 329–331
- cultural differences in aging, 324
- generalizability, cross-cultural aging as tests of, 332–333
- individuals making sense of life through internalizing cultural values, 324–326
- using aging as a context to test cultural differences, 331–332
- CRUNCH model, 235–236
- Cultural differences, using aging as a context to test, 331–332
- Cultural differences in aging, 324
- Cultural expectations on family dynamic, 382
- Cultural influences, 154
- Cultural learning, 324
- Cultural values, internalizing
- individuals making sense of life through, 324–326
- Culture influences and biology, across lifespan, 9–10
- CVS Caremark, 53
- Cytosine-guanine dinucleotides (CpGs), 136–137
- D**
- Danish 1905 Cohort Survey, 309
- Data harmonization, 33
- Death and dying in later life, psychology of, 475
- bereavement, grief, and mourning in contemporary society, 483–487
- individual expectations and fears about dying, 477–483
- economic demands and caregiver needs, 482
- hopes and expectations, 482–483
- physical symptoms, 481
- psychological symptoms, 481
- social relationships and support, 482
- spiritual/existential beliefs, 482
- secular, technological influences, 476–477
- Death anxiety, 478–479
- Default network dysregulation, 153–154
- Default-mode network (DMN), 377
- Defined benefit (DB) plans, 344
- Defined contribution (DC) plans, 344
- Dementia, 6, 31, 33
- brain imaging as a surrogate biomarker, 233–234
- Dementia and their caregivers, 447
- caregiver training interventions, 463–464
- rationale and theory, 463
- studies, 463–464
- discussion, 466–468
- emotion-focused interventions, 464
- rationale and theory, 464
- studies, 464
- person-centered interventions, 449
- rationale and theory, 449
- studies, 449
- physical activity (PA) interventions, 449–463
- rationale and theory, 449–463
- studies, 463
- psychosocial intervention trials, 450*t*–462*t*
- social enhancement, 464
- rationale and theory, 464
- studies, 464
- translation and implementation of psychosocial approaches, 464–466
- Dementia patients and caregivers, 441
- Dependent care, 348–349
- Depressed mood and congruent cognition, 289–292
- Depression, late-life, 379, 410–416
- biological and clinical risk factors for, 412–414
- disability, 413–414
- inter-relationship between cardiovascular disease, dementia, and depression, 412–413
- epidemiology of, 410–411
- psychosocial risk factors for, 414–416
- bereavement, 415–416
- social support, 414–415
- sociodemographic risk factors for, 411–412
- race, 411–412
- sex difference, 411
- Depressive symptom, 410–415, 417
- Despair crisis, integrity versus, 7
- Developmental niche, 10
- Diabetes Prevention Program (DPP), 47
- Diathesis-stress model, 135–136
- Digital games, 394–397
- Diminished financial capacity, clinical warning signs of, 365–366
- Direct Assessment of Functional Status (DAFS) scale, 379–380
- Disability, 413–414
- Disability onset, 46
- Disambiguate state, 35
- Dispositions and health, 207–208
- Distance-to-death model, 312, 315
- Distortion-product otoacoustic emissions (DPOAEs), 168
- DIVIDED VARIABLE training, 237
- DNA methylation, 136–137
- DUX4* gene, 138
- Dyadic planning, 267
- Dynamic Analyses to Optimize Ageing (DYNOPTA) project, 33
- E**
- Early retirement, 350
- defined, 350
- Early-to-late shift (ELSA) of executive control strategies, 255
- Economic preparedness, 52
- Economic security in retirement, 53
- Education, 43–44, 48–50
- Educational technology, 391

- Effortfulness hypothesis, 180
- Ego development, 6–7
- Ego integrity, 7–8
- Eldercare, 347–348
- Emotion theory
and aging, 282
and mood congruence in young adulthood, 280–282
- Emotion–memory interactions, age differences in, 154–155
- Employee benefits, 343–344
- Employee–organization relationship (EOR), 340
for aging workers, 340–343
- Encoding–retrieval flip, 153
- End-of-life decisions, 47
- Energetic masking, 170
- Environmental sensitivity, genetic influences on, 135–138
GE interplay, biomarkers of, 136–137
telomere length, 137–138
- Environmental support, 155, 158
- Episodic memory, 148, 150–151
amyloid and, 95
strategy training, 221–223
- Epistemic uncertainty, 325
- Erikson’s psychosocial theory of development, 325
- Erikson’s stage model, 6–7
- Established Populations for Epidemiologic Study of the Elderly (EPESE), 414–415
- Estrogens, effects in young adults, 66–68
- Estrogens and menopausal HT, 69–70
effects of surgical menopause and intervention in younger and older women, 70–71
intervention studies, 71–72
observational studies, 69–70
- Event-related potentials (ERPs), 76
- Executive deficit theories of cognitive aging, 247–249
current perspective on, 249
frontal lobe hypothesis, 248–249
goal maintenance deficit (Braver/West), 248
inhibitory deficit theory, 247–248
production deficit hypothesis, 248
- Executive functions (EFs), 126, 245–246
aging and neural substrates of, 251–252
brain regions linked to, 251–254
disproportionate EF decline, cross-sectional evidence for, 250
earlier EF decline, longitudinal evidence for, 250–251
executive deficit theories of cognitive aging, 247–249
current perspective on, 249
frontal lobe hypothesis, 248–249
goal maintenance deficit (Braver/West), 248
inhibitory deficit theory, 247–248
production deficit hypothesis, 248
and lifelong aging, 256–257
measuring, 246–247
neuroanatomical considerations of, 246
and neurocognitive aging, 245
PFC decline, relative degree and onset of, 252–254
and PFC processes as compensatory and protective, 254–256
- Executive stage, attainment of, 8
- Exercise, cognition, and health, 187
definitions, 188–189
epidemiological studies, 189–196
aerobic exercise effects on functional MRI patterns, 194
associations between physical activity, fitness, and white matter integrity, 193–194
effects of resistance training on cerebral blood flow and fMRI patterns, 194–195
health factors related to cognition, 196
mediators and moderators, 195
physical activity and fitness associations with cognition, 190
physical activity and gray matter volume, 192–193
randomized trials of aerobic exercise on cognition, 190–192
randomized trials of exercise on gray matter volume, 193
- Exergames, 397
- Experimental tasks, 246
- Extraversion, 308–309
- F**
- F-18 florbetapir, 89
- Failing memory, individuals with, 307
- Familiarity, 150–151
- Family dynamic, cultural expectations on, 382
- Family enhancement of work (FEW), 347–348
- Family interference with work (FIW), 347
- Family life, 53–58
- Family roles in life, 347
- Fat Mass and Obesity Associated (FTO) gene, 133
- Financial capacity, 361
assessment approach, 368–372
clinical interview assessment of financial capacity, 372
performance-based assessment, 370–372
premorbid financial capacity, assessing, 368–370
self and informant-based assessment, 370
challenges in modeling, 366–367
clinical model of, 367–368
clinical warning signs of diminished financial capacity, 365–366
cognitive aging and disorders of aging, 364–365
empirical studies, 372–377
longitudinal change, in patients with mild AD, 373–374
in patients with MCI, 374–375
in patients with mild and moderate AD, 372–374
neuropsychological predictors, 375
future research directions, 383–384
detecting very early financial declines in cognitively normal elderly, 383
evolution, in a technological society, 384
study of financial capacity in other older adult clinical populations, 383–384
study of non-cognitive contributions to financial capacity in aging, 384
legal, clinical and ethical perspectives, 362–364
neuroimaging studies, 377–379
in aMCI and AD, 377–378
approaches, 377
in cognitively normal older adults, 378

- Financial capacity (*Continued*)
 non-cognitive contributions to, 379–383
 cultural and social contributions, 381–382
 psychological and psychiatric contributions, 379–380
 relationship of physical dependence/medical frailty to financial capacity, 380–381
 resilience, 382–383
- Financial Capacity Instrument (FCI), 368, 371–372
- Financial planning, goal of, 349
- Financial well-being, of retiree, 352
 defined, 352
- Finnish Alzheimer Disease Exercise Trial (FINALEX), 463
- Fitness
 associations with cognition, 190
 and white matter integrity, 193–194
- Five-factor model, 326–327
- Flexibility, 108*f*, 221
 adult age differences in, 113, 114*f*
 defined, 106
 plasticity and
 in relation to GF–GC theory, 115–116
- Florbetaben, 89
- Flutemetamol, 89
- Flynn effect, 42, 116
- Ford, 53
- Fractional anisotropy (FA), 234
 age-related declines in, 252
- Frailty, 47
- Frontal lobe hypothesis of cognitive aging, 248–249
- Functional Assessment Questionnaire (FAQ), 370
- Functional brain imaging, 233
- Functional cerebral space, 112
- Functional MRI (fMRI) and financial capacity, 377–378
- Future Elderly Model, 58
- G**
- Gaming, 390–391, 395–398
 benefits of, 396–398
 communication, 397–398
 game preferences of older adults, 396
 gamer demographics, 395–396
- Gammaaminobutyric acid (GABA), 108
- GE interplay, biomarkers of, 136–137
- Generalizability, cross-cultural aging
 as tests of, 332–333
- Generalized anxiety disorder (GAD), 287–288, 417
- Generalized linear mixed effects models, 28–29
- Generation Xers, 49
- Generativity versus stagnation, 7
- Genetic influences on environmental sensitivity, 135–138
 GE interplay, biomarkers of, 136–137
 telomere length, 137–138
- Genome-wide association studies (GWASs), 131–134
- German retirees, 353
- German Socio-Economic Panel (SOEP), 305
- German Socioeconomic Panel Study, 353
- Geropsychology, 3
- Gf–Gc theory
 plasticity and flexibility in relation to, 115–116
- GI Bill, 49–50
- GJAI, 134
- Go4Life, 47
- Goal maintenance deficit (Braver/West), 248
- Goal relevance models, 281
- Good death, 478–482
- Government services, 403
- Gray matter volume
 physical activity and, 192–193
 randomized trials of exercise on, 193
- Grief, 483
- Grief work theory, of Freud, 483
- H**
- HAROLD model, 235–236
- Head Start, 56
- Health Aging and Body Composition (Health ABC) Study, 413
- Health and health care, 44–48
- Health and Retirement Study (HRS), 304–305, 350–351, 412
- Health care, 343–344, 403
- Healthy living as a catalyst for personality development, 212–214
 healthy behaviors as predictors, 213
 major illness as a predictor, 213–214
 subjective wellbeing and adult personality change, 213
- “Healthy neurotic” phenomenon, 211–212
- Hearing loss, age-related. *See* Age-related hearing loss
- Hedonism, 327–328
- Heritability, 129
- Hippocampal atrophy, 94
- Hippocampus, plasticity of, 193
- Home computing and gaming, 391
- Home economics, 42
- Hormone therapy (HT), 68–70
- Hospice, 479–480
- Hospital Anxiety and Depression Scale, 418
- Housing options, 57
- hPer2*, 437–438
- Human resource management (HRM),
 aging in the context of, 340, 343–347
 employee benefits, 343–344
 knowledge transfer strategy, 344–345
 motivation and performance management, 345–346
 retention and recruitment, 346–347
- Hyper-binding, 152–153
- I**
- Implicit memory biases, 288
- Implicit memory test, 290
- Improving Mood—Promoting Access to Collaborative Treatment (IMPACT) program, 420
- Individual development, 263–264
- Inductive reasoning
 strategy training, 223–224
- Inflammatory markers and personality traits, 208
- Informant-based assessment, 370
- Information and communication technologies (ICTs), 390, 403–404
- Informational masking, 170–171
- Inhibitory deficit theory, 247–248
- Insomnia, 430–431
 development, 433
 major theories, 433–434
- Instant messaging protocols, 398
- Instrumental activities of daily living (IADLs), 44–45, 363
- Integrative Analysis of Longitudinal Studies of Aging (IALSA) project, 34
- Integrity versus despair crisis, 7

- Intellectual functioning, 341
 Intensive measurement burst design, 20–21
 Interactive imagery, 221–222
 INTERACTIVE model, 236–237
 Interdependent cultures, individuals in, 324–325
 Interleukin-6 (IL-6), 208
 Internal Revenue Service (IRS), 403
 Internet use, 392–393, 397–398, 402
 Intimacy crisis, 6
 Intraindividual variability approach, 34–36
 Iowa EPESE study, 314–315
- J**
 Job-related physical demands, 353
- K**
 Knowledge transfer strategy, 344–345
- L**
 Late-life anxiety disorders. *See* Anxiety disorders, late-life
 Late-life co-existing mood–anxiety disorders, 417
 characteristics, 417
 epidemiology of, 417
 Late-life depression (LLD). *See* Depression, late-life
 Late-life disabilities, 46
 Late-life sleep and sleep disorders. *See* Sleep and sleep disorders, in late-life
 Late-life suicide and suicidal behavior, risk factors for, 417–418
 Lawton & Brody Instrumental Activities of Daily Living Scale, 370
 Learned helplessness theory, 382–383
 Legacy-creating stage, 9
 Leisure activities, 350
 Level versus change in cognition and survival, 306–307
 Life expectancy after age 85, 304–305
 Lifelong aging, executive functions and, 256–257
 Lifespan development, plasticity and stability in, 106
 Lifespan psychology, 43–44
 Lifespan theories of psychological aging, 6–10
 Lifespan theory, 43
- Limbic system, 284
 Linguistic knowledge
 compensation through, 171–179
 Link function, 28
 Loneliness, 314
 on mortality, 314
 Longitudinal studies, of the oldest old, 305–306
 Lothian 1921 Birth Cohort, 309–310
 “Lump of labor” fallacy, 52
 Lung function, 127–130, 134
- M**
 Maastricht Aging Study, 341
 Macro-level contexts, psychological processes embedded in, 270–271
 Magnetic resonance imaging (MRI) and financial capacity, 377
 Major depressive disorder (MDD), 286
 Major neurocognitive disorder. *See* Dementia
 Married couples, social interrelations in. *See* Social interrelations in aging
 Maximal oxygen capacity (VO_{2max}), 189
 Meaning Maintenance Model, 325
 Measurement burst design, 20–21, 35
 Measurement occasion
 parameterization, 31
 Medical technology, 390–391
 Medroxyprogesterone acetate (MPA), 72
 Mega-analysis, 32–33
 Melatonin, 435–436
 MEMO (Méthode d’entraînement pour une mémoire optimale), 228–229
 Memory, 147–148
 and attentional biases, 287–289
 behavior and neural basis, 147
 brain aging and, 148–149
 emotion effects on, 155
 errors, 155
 interventions, 155–158
 major influences on age differences in, 149–154
 associational memory, 152–153
 controlled processing paradox, 149–152
 default network dysregulation, 153–154
 modifying factors, 154–155
 training, 156–157
- Memory and Age Project (MAP), RUSH, 311
 Memory support system (MSS), 232
 Memory training, 221–223
 Menopause
 effect, on cognition in older women, 68–77
 hormone therapy (HT), 68–71
 symptoms, 68–69
 Menstrual cycle
 fluctuations, in neural activity, 67–68
 variation in affect across, 68
 variation in cognition across, 66–67
 Mental health, 45
 Meta-analysis, 32
 Metabolic syndrome (MetS), 196, 209
 Midlife Development in Japan (MIDJA), 332–333
 Midlife Development in the United States (MIDUS), 332–333
 Mild cognitive impairment (MCI), 5, 88, 255
 effects of exercise on, 192
 financial capacity in patients with, 374–375
 training, 231–235
 Minority Aging Research Study (MARS), 311
 Missingness, patterns of
 in adult development and aging, 23–26
 classifications of, 23–24
 dealing with missing data, 24–26
 full information maximum likelihood (FIML) estimation, 25–26
 key methodological considerations for incomplete data, 26–27
 missing at random (MAR), 24–26
 missing completely at random (MCAR), 24–26
 missing not at random (MNAR), 24
 multiple imputation (MI) approaches, 24–25
 planned missingness, 26
 Mobile phones, 399
 Moment-to-moment accuracy, 180
 Mood and anxiety disorders, 409
 detection, treatment, and management, 419–420
 late-life anxiety disorders, 416–417
 epidemiology of, 416
 risk factors for, 416–417

- Mood and anxiety disorders
(Continued)
- late-life co-existing mood and anxiety disorders, 417
 - characteristics of, 417
 - epidemiology of, 417
 - late-life depression, 410–416
 - biological and clinical risk factors for, 412–414
 - epidemiology of, 410–411
 - psychosocial risk factors for, 414–416
 - sociodemographic risk factors for, 411–412
 - late-life suicide and suicidal behavior, risk factors for, 417–418
- Mood congruence, 280
- Mood–cognition linkage, age differences in, 279
- Bower's model, 281
 - conceptual and methodological issues, 282–284
 - definition and theories, 280–282
 - emotion theory and aging, 282
 - emotion theory and mood congruence in young adulthood, 280–282
 - effects of personality factors on, 284–285
 - implications for psychological interventions with older adults, 296–298
 - implications for theory and research on, 295–296
 - mood-congruent biases, 282–283, 286–287, 290, 296–297
 - mood-congruent effects
 - in anxiety, 287–289
 - depressed mood and congruent cognition, 289–292
 - in depression, 285–287
 - in sad and depressed mood, 292–295
- Mood-congruent attentional biases, 283, 286–287, 293
- Mortality, loneliness on, 314
- Mortality risk, 314
- Mortality schema, 479
- Motivation and performance management, 345–346
- Mourning, 483
- MTHFR* gene, 133–134
- Multi-domain training, 228–229
 - combined strategy and component training, 228–229
 - MEMO (Méthode d'entraînement pour une mémoire optimale), 228–229
- Multilevel and latent growth curve approaches, 27–28
- Multiple caregiving roles, 348
- Multiple cognitive abilities, 364
- Multivariate behavior genetic analyses, 127
- MYH6*, 134
- N**
- National Comorbidity Survey Replication (NCS-R), 416
- National Defense Education Act, 49–50
- National Epidemiologic Survey of Alcohol and Related Conditions (NESARC), 419–420
- National Health and Aging Trends Study (NHATS), 311
- National Heart, Lung, and Blood Institute (NHLBI) twin study, 131
- National Institute of Aging, 47
- National Institutes of Health
 - NIH Toolbox, 33
- National Social Life, Health, and Aging Project, 313
- N-back (working memory) training, 227
- Negatively valenced information, 329
- Negativity reduction effect, 330
- Network on an Aging Society, 43
- Neural functioning, 221
- Neural plasticity, 220
- Neural progenitor cells, 111
- Neurodegeneration
 - amyloid and cognitive decline and, 96
 - amyloid deposition and, 93–95
 - neuronal dysfunction, 93–94
 - neuronal loss, 94–95
- Neuroimaging, as a predictor of training response, 237–239
- Neuropsychological predictors of financial capacity, 375
- Neuroticism, 267–268, 308–309
- New Haven Established Populations for Epidemiologic Study of the Elderly (EPESE), 414–415
- New skills, learning, 49
- Noise and speech, 170
- Non-cognitive contributions to financial capacity in aging, 379–383
 - cultural and social contributions, 381–382
 - psychological and psychiatric contributions, 379–380
 - relationship of physical dependence/medical frailty to financial capacity, 380–381
 - resilience, 382–383
- Nondeclarative memory, 150
- Non-kin network members, 312–313
- Normal aging, 5
 - pathology in, 4
- Normal cognitive aging, defined, 364
- O**
- Obesity, and cognition, 196
- Obsessive compulsive disorders (OCDs), 287–288
- Obstructive sleep apnea (OSA), 431–432, 440
 - versus central sleep apnea, 439
- OCTO-Twin Longitudinal Study of Aging, 306–307
- Older adult game use and game preferences, 395–398
 - benefits of gaming, 396–398
 - communication, 397–398
 - game preferences of, 396
 - gamer demographics, 395–396
- Older workers, 340, 342
 - negative biases about, 346
- Oldest old
 - meaning of, 303–304
 - psychological vitality in. *See* Psychological vitality in the oldest old
- Openness, 309
- Optimism, 309, 329–330
- P**
- Pain management, 481
- Part-time work, 347
- Perceptual effort, downstream effects of, 179–180
- Performance management, motivation and, 345–346
- Performance-based assessment, 370–372

- Peripheral hearing loss, 168
 Perseverative behavior, 113
 Persistent complex bereavement disorder, 415–416
 Person with dementia (PWD). *See* Dementia and their caregivers
 Personality, age differences in, 326–328
 Personality and health, 205
 across adulthood, 210–212
 age as a moderator, 210–212
 full role of age on linkages between personality and health, 212
 current and future directions, 214–216
 definitions and classifications, 206–207
 dispositions and health, 207–208
 healthy living as a catalyst for, 212–214
 healthy behaviors as predictors, 213
 major illness as a predictor, 213–214
 subjective wellbeing and adult personality change, 213
 physiological markers of aging, 208–210
 cardiovascular indicators, 209–210
 inflammatory markers, 208
 Personality traits
 influence on mood and cognition interaction, 284–285
 in the oldest old, 308–310
 personality change after age 80, 309–310
 personality profiles of the oldest old, 309
 trait predictors of survival, 308–309
 Person–environment (P–E) fit, 350
 Phased retirement, 346, 351
 Phototherapy, 438
 Physical activity, 188–190
 and Alzheimer’s disease, 189–190
 and fitness and white matter integrity, 193–194
 and gray matter volume, 192–193
 Physical aging, 133–135
 gene pathways underlying cognition-physical functioning dynamics, 134–135
 Physical frailty, 380
 Physical function, 128–130
 behavioral, 129
 physiological functioning, 128–129
 Physical health of older adults, 44–45
 Physical well-being, of retiree, 353
 defined, 353
 Physiological functioning, 128
 Physiological markers of aging, 208–210
 Piaget’s childhood stages, 7
 Pittsburgh Compound B (PiB), 89
 Plasticity, in adulthood, 105, 108*f*
 defined, 106
 and flexibility, in relation to *Gf–Gc* theory, 115–116
 of intellectual abilities, in younger and older adults, 110*f*–111*f*
 investigating age differences in sequential progression of, 116–117
 in memory performance across the lifespan, 109*f*
 molecular understanding of plasticity dynamics in human adults, 118–119
 proposition#1: plasticity decreases from childhood to old age, 108–112
 proposition#2: flexibility increases from childhood to middle adulthood, and declines thereafter, 112–113
 proposition#3: relative to childhood, plasticity in adulthood and old age is more often associated with maintenance, and less often with growth, 113–115
 scrutinizing “Ribot’s law” and the “dark side of plasticity”, 117–118
 and stability, in lifespan development, 106
 supply–demand mismatch model of, 106–108, 107*f*
 Polysomnography (PSG), 432–433
 Population aging, 44
 Positive and Negative Affect Scale (PANAS), 68
 Positive illusion, 329–330
 Positive sentiment override, 265–266
 Positivity effect, 282, 291–293, 329–330
 Positivity enhancement effect, 330
 Positron emission tomography (PET), 76
 and financial capacity, 377
 Post-retirement activities, 353
 Posttraumatic stress disorder (PTSD), 418
 Precipitating Events Project (PEP), 413–414
 Preclinical Model of AD, 92–93, 92*f*, 98
 Prefrontal cortex (PFC), 113
 age-related cortical atrophy of, 252
 decline, relative degree and onset of, 252–254
 PFC processes as compensatory and protective, 254–256
 physical activity and, 193–194
 Premorbid financial capacity, assessing, 368–370
 Pre-retirement financial planning, engagement in, 352
 Pre-retirement health status, of retirees, 353
 Prevention of Suicide in Primary Care Elderly: Collaborative Trial (PROSPECT), 420
 Privacy loss, 401–402
 Proactive control, 248
 Production deficit hypothesis, 248
 Progesterone, 74–75
 Prolonged grief disorder (PGD), 415–416
 Prosody, 179
PRRC1 gene, 132–133, 136–137
 Psychological mortality, 304
 Psychological vitality in the oldest old, 303
 cognitive functioning, 306–308
 heterogeneity of, 307–308
 level versus change in cognition and survival, 306–307
 contemporary oldest old, 304–305
 personality traits, 308–310
 personality change after age 80, 309–310
 personality profiles, 309
 survival, trait predictors of, 308–309
 research issues, 305–306
 self-related beliefs and self-regulation, 310–312
 change in self-related beliefs after age 80, 311–312

- Psychological vitality in the oldest old
(*Continued*)
 characteristics of the self-related
 beliefs of the oldest-old, 311
 self-related predictors of survival,
 310–311
 social connections, 312–314
 of the oldest old, 313
 predictors, of survival, 313–314
 subjective well-being, 314–315
 level and change in subjective
 well-being after age 80, 315
 and prediction of survival to age
 80, 314–315
- Psychological well-being, of retirees,
 353
 defined, 353
- Psychology of aging
 assumption of universal decline, 4–5
 co-constructive theory, 9–10
 Erikson's stage model, 6–7
 in lifespan perspective, 3
 lifespan theories, 6–10
 pathological aging, 5–6
 pathology in normal aging, 4
 Schaie and Willis' stage theory of
 cognition, 7–9
- R**
- Randomized clinical trial
 of aerobic exercise, 190–192
 of exercise, 193
- Rapid speech rates, 177–178
- Reactive control, 247–248, 255
- Reasoning training, 223–224
- Recognition memory, 77, 330
- Recollection, 150–151
- Recruitment, 346–347
- Reducing Disability in Alzheimer's
 Disease (RDAD) intervention,
 463–465
- Regret theory, 478
- Reintegration, 8
- Remote telecare devices, 403
- Reorganizational stage, 9
- Repetition priming, 150
- Resilience and financial capacity, 382–383
- Resistance training
 on cognition, 191–192
 effects on cerebral blood flow and
 fMRI patterns, 194–195
- Resources for Enhancing Alzheimer's
 Caregiver Health II (REACH II),
 465–466
- Retention, 346–347
- Retest effects, 21–23
- Retiree
 financial well-being of, 352
 physical well-being of, 353
 pre-retirement health status of, 353
 psychological well-being of, 353
 work-related behaviors of, 354
 work role identity of, 354
- Retiree health benefits, 344
- Retirees' work role identity, 354
- Retirement, 50–53
 benefit, 344
 decision-making phase, 349–350
 defined, 339, 341
 early retirement, 350
 outcomes of, 352–354
 temporal process model of, 349–352
 voluntariness of, 354
- Rey Auditory Verbal Learning Test, 255
- Ribot's law, 117–118
- Rise of Nations* (game), 396
- Rogers diffusion of innovation,
 393–394
- Rowe, John W., 43
- RPN6-PTPN11 gene variant, 133–134
- RT inconsistency, across response
 latency trials, 34–36
- S**
- Sad mood, 281–282, 286, 289–290,
 292–293
- "Sandwich" generation, 54–55
- Sandwiched caregivers, 348
- Scaffolding Theory of Aging and
 Cognition (STAC) model, 90–91,
 255–257
- Scaffolding Theory of Aging and
 Cognition-Revised (STAC-r)
 model, 90–91, 91f, 96, 98
- Scaffolding Theory of Cognitive Aging
 (STAC), 236
- Schaie and Willis' stage theory of
 cognition, 7–9
- Schemas, 281
- Schizophrenia, financial skills and,
 379–380
- Schwartz Value Questionnaire,
 325–326
- Seattle Protocols, 464–465
- Second-tier families, 55–56
- Selection, optimization, and
 compensation (SOC) theory, 6,
 264–265
- Selective survival, 307–308
- Self and informant-based assessment,
 370
- Self-control, 209
- Self-criticism, 328
- Self-directedness, 341
- Self-directedness of work, 341
- Self-enhancement, 326
- Self-esteem, 266–267, 311–312, 325
- Self-evaluation complaint
 questionnaire, 228–229
- Self-improvement, 7
- Self-perceptions of aging, 310
- Self-related beliefs, of the oldest-old,
 310–312
 change in, after age 80, 311–312
 characteristics of, 311
- Self-related predictors of survival,
 310–311
- Self-report, 190, 284, 370
- Semantic memory, 148
- Semi-Structured Clinical Interview for
 Financial Capacity (SCIFC), 372
- Senior Odyssey program, 224
- Sensorineural hearing loss, 168–169
- Sex hormones and cognitive aging, 65
 effects of estrogen and testosterone
 in young adults, 66–68
 menstrual cycle fluctuations in
 neural activity, 67–68
 variation in affect across the
 menstrual cycle, 68
 variation in cognition across
 menstrual cycle, 66–67
- effects of menopause and hormone
 levels on cognition in older
 women, 68–77
- estrogens and menopausal HT,
 69–70
- testosterone and progesterone,
 74–75
- Women's Health Initiative
 Memory Study (WHIMS), 72–74
- Women's Health Initiative Study
 of Cognitive Aging (WHISCA),
 72–74
- future research, 79
- testosterone and cognitive aging in
 men, 77–79
- intervention studies, 77–79
- observational studies, 77
- Single nucleotide polymorphisms
 (SNPs), 131–132
- SINGLE REPEATED training, 237

- Sleep and sleep disorders, in late-life, 429
- advanced sleep phase disorder, 437–439
 - assessment, 438
 - development, 437
 - interventions, 438
 - major theories, 437–438
 - assessment, 432–433
 - objective assessments, 432–433
 - subjective assessments, 432
 - caregiver involvement and treatment, 441–442
 - dementia patients and caregivers, 441
 - epidemiology of, 430–432
 - advanced sleep phase disorder (ASPD), 431
 - insomnia, 430–431
 - sleep-disordered breathing (SDB), 431–432
 - evidence-based treatments, 440–441
 - CBT-I, 440
 - for comorbid apnea and insomnia, 441
 - for comorbid insomnia, 440–441
 - insomnia, 433–434
 - development, 433
 - major theories, 433–434
 - interventions, 435–437
 - CBT-I and hypnotic reduction, 436–437
 - pharmacological, 435–436
 - psychological, 436
 - psychological and pharmacological approaches combined, 436
 - late-life insomnia, risk factors for, 434–435
 - assessment, 435
 - cognition, 434
 - comorbidities, 434
 - hypnotic dependence, 434–435
 - social and behavioral changes, 434
 - socioeconomic status (SES), 434
 - special populations, 435
 - normal late-life sleep, 430
 - sleep-disordered breathing, 439–440
 - assessment, 439
 - development, 439
 - intervention, 439–440
 - OSA versus central sleep apnea, 439
 - risk factors, 439
- Sleep diaries, 432
- Smartphones, 399
- Social connectedness, lack of, 418
- Social connections
 - of the oldest old, 313
 - predictors, of survival, 313–314
- Social interrelations in aging, 263
 - existing research and new trends, 264–269
 - cognition, 268–269
 - health, 267–268
 - well-being, 265–267
 - future directions and challenges, 271–274
 - applied significance, 273–274
 - between-couple and within-couple perspectives, integrating, 272
 - capturing processes that occur on different timescales, 271–272
 - social interrelations beyond marital dyads, 274
 - methodological challenges, addressing, 269–270
 - psychological processes embedded in macro-level contexts, 270–271
 - selective optimization with compensation (SOC), model, 264–265
- Social isolation, 314
- Social network characteristics (SNC), 328
- Social networking, 390, 398–399
- Social networking sites (SNSs), 398
 - benefits of, 398–399
- Social relationships, age differences in, 328–329
- Social Security, 53
- Social support, 414–415
- Society and the Individual at the Dawn of the Twenty-First Century, 41
 - education, 48–50
 - family life, 53–58
 - health and health care, 44–48
 - lifespan psychology, 43–44
 - work and retirement, 50–53
- Socioeconomic status (SES), 412, 434
- Socioemotional aging, 327–328
- Socioemotional development across adulthood, 324, 333–334
- Socioemotional Selectivity Theory (SST), 282, 325
- SORL1* gene, 132, 134, 138
- Space Fortress video game training, 237–238
- Speech comprehension, challenges for, 166–167
- Speech impediment, financial capacity and, 380
- Speech in noise, 170–171
- Speed of processing training, 225–226
- Spielberger State Trait Anxiety Inventory (STAI), 294–295
- Spousal compensation, 266–267
- Stability, in lifespan development, 106
- Staff Training in Assisted-living Residences (STAR), 464–465
- Standardized neuropsychological instruments, 246
- STAR–Community Consultants (STAR-C), 464–465
- STAR-VA, 464–465
- Stereotypes, 4
- Steroid hormones, 66
- Strategy training, 221–224
 - episodic memory, 221–223
 - inductive reasoning, 223–224
- Streaming technologies, 398
- Strength and Vulnerability Integration model (SAVI), 282, 295–296
- Stroop task, 238, 246–247, 253, 292–294
- Structural brain imaging, 233
- Structural plasticity
 - brain imaging to identify, 234–235
- Subjective well-being, 314–315
 - and adult personality change, 213
 - level and change in, after age 80, 315
 - and prediction of survival to age 80, 314–315
- Subsyndromal depression, 410–411, 420
- Successful aging, 5, 264–265, 304
- Suicidal behavior, 418
- Suicide and suicidal behavior, risk factors for, 417–418
- Sunglasses, 438
- Supply–demand mismatch model of plasticity, 106–108, 107f
- SUPPORT study, 480, 483
- Surgical menopause, 70–72, 79
- Survival
 - cognition and level versus change in, 306–307
 - models, 28–29
 - prediction of to age 80, 314–315
 - self-related predictors of, 310–311
- Swedish octogenarians, 310, 314–315

- T**
- Tau, 89–90, 94–95
- Technology
 definition of, 390
 development and diffusion of, 390–391
 home computing and gaming, 391
 use and age, 391–393
- Technology acceptance model (TAM), 394
- Technology adoption
 barriers to, 399–402
 beliefs, 401
 cognitive cost, 399–400
 design costs, 401
 financial cost, 399
 privacy concerns, 401–402
 as a factor for successful longevity, 402–403
 theories and models of, 393–395
 Rogers diffusion of innovation, 393–394
 technology acceptance model (TAM), 394
 Unified Theory of Acceptance and Use of Technology (UTAUT), 394
- Technology transfer, 49
- Telomere length, 137–138
- Telomere position effect (TPE), 137
- Temporal process model of retirement, 349–352
- Terminal illness, 479–481
- Terror management theory, 479
- Testosterone
 and cognitive aging in men, 77–79
 intervention studies, 77–79
 observational studies, 77
 effects in young adults, 66–68
 and progesterone, 74–75
- 3-D visuospatial abilities, 66–67
- Time-from-birth model, 312
- Time-in-study metric, 31
- Time-to-event parameterization, 31
- Tip-of-the-tongue errors, 148–149
- Training-induced brain changes, models of, 235–237
- Transition from work to retirement, 349–354
 outcomes of retirement, 352–354
 temporal process model of retirement, 349–352
- Travel tickets, 402–403
- Tympanometry, 168
- U**
- UCSD Performance-Based Skills Assessment (UPSA), 379–380
- Unemployment right before retirement, 352
- Unified Theory of Acceptance and Use of Technology (UTAUT), 394
- Uniform Guardianship and Protective Proceedings Act (UGPPA), 362–363
- Unsuccessful aging, 5
- Useful field of view (UFOV) task, 225–226
- Use-it-or-lose-it hypothesis, 340–341
- V**
- Variable priority training, 225
- Vascular depression hypothesis, 412
- Vascular–depression–dementia hypothesis, 413
- Video game sales, 395
- Vietnam Era Twin Study of Aging (VETSA), 131
- “Vigilance-avoidance” hypothesis, 289
- Visual recognition accuracy, 68
- Voluntariness of retirement, 354
- Volunteer work, 350
- W**
- Warning signs, of diminished financial capacity, 365–366
- WCST, 246–247, 252
- Well-being, 265–267
 self-affirmation, 265–266
 spousal optimization of, 265–266
 unasked-for support, 266–267
 of women, 51
- White matter hyperintensities (WMH), 251–252, 410
- White matter integrity and physical activity, 193–194
- Whole task practice training, 226–228
 implications for, 227–228
 n-back (working memory) training, 227
 training involving multiple WM subprocesses/tasks, 228
- Widowhood, 313
- Within-person phenomenon, 17–18
- Women
 menopause and hormone levels on cognition in older women, 68–77
 surgical menopause and intervention in, 70–71
 wellbeing of, 51
- Women’s Health Initiative Memory Study (WHIMS), 72–74
- Women’s Health Initiative study, 309
- Women’s Health Initiative Study of Cognitive Aging (WHISCA), 72–74
- Word onset gating, 173
- Word recognition
 effects of age and hearing acuity on, 171–175
 effects of contextual facilitation, 172–173
 expectation and entropy, 173–175
 neighborhood activation model (NAM) of, 171–172
 onset cohort model, 171–172
- Work, defined, 339
- Work and retirement, 50–53
- Work context, aging in, 340–349
 cognitive aging, work and, 340–341
 employee–organization relationship (EOR), for aging workers, 341–343
 HRM, aging in the context of, 343–347
 employee benefits, 343–344
 knowledge transfer strategy, 344–345
 motivation and performance management, 345–346
 retention and recruitment, 346–347
 transition from work to retirement, 349–354
 outcomes of retirement, 352–354
 temporal process model of retirement, 349–352
 work–family issues, aging and, 347–349
- Work enhancement of family (WEF), 347–348
- Work interference with family (WIF), 347
- Work stress, 51–52
- Work–family conflict (WFC), aging and, 347–349
- Work–family enhancement (WFE), 347–348
- Working memory (WM), 127, 148, 156, 247
 as a multidimensional construct, 227–228
 training, 227
- Workplace education, 50
- Work-related behaviors of retiree, 354
- Worrying, excessive, 380
- WRAT-3 written arithmetic score, 375, 377–378
- Written arithmetic skill, 375
- Z**
- Zolpidem, 436